

INSPIRED BY NATURE

*Crafted by
Global Stone*

24/25

www.globalstonepaving.co.uk

GLOBAL STONE
LANDSCAPING SUPPLIES

Welcome

TO OUR 2024/25 COLLECTION

Global Stone, a trusted brand established in 2003, delivers distinct, on-trend, quality stone and porcelain products. Our ever-evolving range combines the new and trusted favourites, ensuring something for every taste. In addition to quality, we prioritise sustainability, investing in solar/wind power and water recycling at our production facilities.

Enhance your outdoor space with our range of stone, clay, and porcelain landscaping products, ideal for gardens, driveways, and indoor-outdoor transformations.

Explore our range and transform your space today.





Siena Rookstone Porcelain

CONTENTS

GLOBAL STONE
LANDSCAPING SUPPLIES

Global Stone Introduction

Explore the Global Stone Website.....	4
Sustainability & Ethical Responsibility.....	5

Porcelain Paving

Introduction & Product Key	6
Station	8
Dècor	10
Jewell	12
Exquisite	14
Focus.....	16
Seran.....	18
Sandstone Porcelain	20
Courtyard	22
Siena	24
Cadrado	28
Alpini	30
Agni	32
Florence.....	34
Albero	36
Grande.....	38
Porcelain Finishing Touches - Accessories	40
Porcelain Cladding	44

Natural Stone

Introduction & Product Key	48
Old Rectory Paving.....	50
Old Rectory Cobbles	52
Premium Sandstone Paving	54
Fusion Premium Stone Paving	58
Artisan Serenity Paving	60
Artisan Mirage Paving	62
Premium Sandstone Circles.....	64
Gardenstone Paving	66
Slate Paving.....	70
Limestone Paving	72
Natural Stone Walling	74
Natural Stone Cladding.....	76
Natural Stone Finishing Touches.....	78
Pathway Setts	82
Driveway Setts	84
Clay Pavers	86
Block Pavers	88

Ultimate Range

Brushed Stainless Steel Trims	90
Joint Compound, Slurry Primer, Tile Grout.....	92

Composite Decking & Cladding

Composite Prime Decking.....	94
Composite HD Cladding.....	96

General Information	98
---------------------------	----

SCAN THE
QR CODE

About Us



Explore the Global Stone Website

YOUR PATHWAY TO A PERFECT GARDEN TRANSFORMATION

At Global Stone, we're committed to simplifying your product selection and ensuring that your journey to creating your garden haven is a seamless experience. Our user-friendly website offers a range of helpful tools and resources to assist you every step of the way.

Paving Visualiser - Visualise Your Dream Space

Our cutting-edge Paving Visualiser tool empowers you to envision the perfect layout for your chosen paving. Explore a variety of laying methods and grout colours and discover the one that best suits you.

How to Videos - Step-By-Step Guidance

Need guidance on making decisions or mastering the art of laying paving? Look no further. Our comprehensive library of How-To Videos provides step-by-step instructions and valuable insights to make your project a breeze.

Stockist Locator - Find Your Nearest Supplier

Ready to bring your vision to life? Use our Stockist Locator to easily locate your nearest supplier. Simply enter your postcode, and you'll find a multitude of trusted merchants across the UK, all carrying the Global Stone range.




Need Inspiration? Take a Garden Drone Tour

If you need a little inspiration we have a selection of Garden Drone Tours - look for the drone symbol and scan the QR code and that will take you to the garden video tour.



Embark on your journey to a stunning garden transformation with the Global Stone Website as your trusted companion. Connect with our large network of stockists for a seamless and enjoyable purchasing experience.

Find out more about our products at www.globalstonepaving.co.uk or scan the QR Codes using your mobile phone - these QR codes (see bottom of page) will take you direct to your selected page.



SCAN THE
QR CODE

For the How
to Videos



SCAN THE
QR CODE

Stockist
Locator



SCAN THE
QR CODE

For the Paving
Visualiser



Global Stone Group's Commitment to **SUSTAINABILITY & ETHICAL RESPONSIBILITY**

The Global Stone Group is a prominent supplier of natural stone and porcelain products for the construction and landscaping sectors. We are a leading UK supplier with an extensive selection of ethically sourced paving products, underpinned by a secure supply chain and stringent quality controls.

Committed to sustainability, we've initiated several efforts to reduce our carbon footprint and enhance environmental consciousness. These include the installation of a 4.75 Megawatt wind turbine and a photovoltaic solar power plant at our production facilities, along with the adoption of hybrid or fully battery-powered company vehicles.

Actively reducing packaging waste in both India and the UK, we've integrated on-site water filtration to promote water recycling. Additionally, we fulfil 100% of our energy needs in our Rajasthan factory through sustainable means, with surplus energy sold to the Indian State Government.

Dedicated to championing sustainable practices and prioritising the well-being of our employees and suppliers, we maintain senior management presence

in both the UK and India. Regular audits of our sites and those of our suppliers ensure strict adherence to our sustainability, health and safety, and ethical trading and modern slavery policies.

We collaborate with BSCI/SA 8000-certified factories, this certification validates our commitment to fair labour practices, human rights, and environmental protection, instilling confidence in our customers regarding the quality and responsible sourcing of Global Stone Group products.

SCAN THE
QR CODE

About Us



SCAN THE
QR CODE

Ethical
Trading



This product
is made of
FSC®-certified
and other
controlled material.



Inspired by Nature, Crafted by Global Stone

The Beauty & Practicality of **PORCELAIN PAVING**

Porcelain paving tiles are the ideal selection for UK gardens, delivering exceptional durability, making them a perfect fit for your patio areas. With porcelain paving, you can enjoy a consistently beautiful range of colours and designs.

In our porcelain paving collections, each range and size comes with various unique designs, which we refer to as 'faces.' If you prefer a more consistent colour and design, opt for a range with fewer faces. For a more distinctive and unique appearance, consider a range with a higher number of faces.

Our versatile range of Porcelain Paving is manufactured from natural materials, including highly refined and purified clay and finely ground sand. A very strong, long-lasting, and low-maintenance product is produced by pressing the materials together and then heating them to extremely high temperatures to fuse the clays together to produce the finished product.





LOW MAINTENANCE

Regular brushing and cleaning with water and mild detergent will keep your paving looking pristine for many years to come. Do not use acid based cleaners.



STAIN RESISTANT

Porcelain tiles are non-porous meaning that they are stain resistant and easier to maintain.



SLIP RESISTANT

Our porcelain paving is slightly textured to provide a slip resistant finish. Our porcelain tiles are tested and rated to R11 or greater ensuring the safety of your patio.



FROST & SALT RESISTANT

Our tiles are frost and salt resistant due to porcelain's minimal absorption rate.



NUMBER OF FACES

Our porcelain paving collections offer various unique designs, known as 'faces.' For a consistent look, choose ranges with fewer faces, or for a more distinct appearance, go for those with a higher number of faces.



FADE RESISTANT

Resistant to fading, meaning that your patio will retain its colour for many years to come.



RECTIFIED

Rectified tiles have their edges precisely cut and finished to ensure uniformity in size and shape. Ranges with symbol shown are rectified.



THICKNESS

Our paving tiles are designed for exterior use and are 20mm thick. Suitable for domestic paving projects.



BATCHES

Porcelain paving is produced in separate batches, and it's vital to use tiles from the same batch to avoid colour variations during installation. Mixing different batches may lead to visible differences in shades.

Porcelain Paving

STATION


Experience the timeless elegance of our Station range, crafted to emulate the sophisticated appearance of slate. This collection showcases premium-quality paving tiles with a flat, very lightly riven surface, available in four captivating colours and available in a selection of three sizes.

Whether you envision a modern patio with sleek lines using our 600x1200mm tiles or a contemporary patio with the 600x600 or 600x900mm tiles.

Enhance your patio design with those perfect finishing touches, such as the step/coping downstand, bull-nosed edging, and porcelain setts – Go to page 40 to see the range.



Station - Black



Station - Iron



Station - Pearl



Station - White

Width mm	Length mm	Pack Size No. Pieces/Coverage	Number Faces
Tile Thickness 20mm Joint Width 4-6mm			
600	600	68 Pieces/24.48m ²	16
600	900	48 Pieces/25.92m ²	9
600	1200	24 Pieces/17.28m ²	9



Rectified - Key to symbols see page 7



A touch of flair

Imagine a garden where a feature seating area takes centre stage, crafted with the influence of a skilled designer. This is not just any seating area; it's an ensemble of carefully chosen elements that showcase a designer's wealth of experience, style and quality paving.

The interplay of textures begins with the bold contrast between the Charcoal natural stone cladding and the elegant Station White porcelain paving in the main area. This dynamic pairing sets the stage for a visually striking garden.

At the forefront of the garden stands a planter, a living canvas fashioned from Porcelain Edgings in White, brimming with beautiful and thoughtfully selected plantings. The juxtaposition of the pristine white porcelain against the vibrant greenery creates a captivating focal point.

A walkway leading to the main paving area is paved with Edging Strips in Iron, cleverly alternating with either lush grass, aromatic herbs, or decorative stones, depending on your preference. This serves as a visual and sensory experience, engaging both sight and touch.

Porcelain Setts in Iron appear in the main paving area, skilfully integrated as accents that enhances the overall design rhythm.

The paving area stepping down to the pathway is finished neatly with Porcelain Coping/Steps in White.

It's this attention to detail that transforms a simple seating area into a work of art, where every element adds to the overall aesthetic appeal.



Kate Marshall
Garden Design



DRONE

Scan QR
Code to view

Porcelain Paving - Station

DÈCOR

Add a little design chic to your seating area, patio, or pathway with our captivating Porcelain Dècor tiles! Add a focal point and infuse style into your garden design with our exclusive tile patterns.

Get creative by pairing them with tiles from our porcelain ranges or mix and match with other options from our diverse range of porcelain and natural stone paving.

The tiles are an even, flat surface that works well with any porcelain tile in our range.



Dècor - Scuro



Dècor - Leggero

Width mm	Length mm	Pack Size No. Pieces/Coverage
Tile Thickness 20mm Joint Width 4-6mm		
600	600	2 Pieces/0.72m ²



Rectified - Key to symbols see page 7



Captivating Feature Tiles

Porcelain Décor tiles serve as captivating focal points in garden design, especially when used to enhance intimate seating areas. Compare the garden design on page 9 with the image; you can see how, with just the addition of six tiles, we changed the look of the focal point of the patio.

These tiles, available in two colour variations and adorned with a simple geometric pattern, draw attention and create a visually appealing anchor for a cosy nook or seating arrangement. Furthermore, Décor tiles play a crucial role in defining the aesthetics of a garden by acting as focal points for various design elements. Whether used to highlight a specific feature such as a fountain, sculpture, or vibrant flower bed, these tiles contribute to the overall harmony and balance of the garden. In essence, Porcelain Décor tiles not only enhance the visual appeal of intimate seating areas but also serve as versatile elements that tie together different design elements in a garden setting.



Kate Marshall
Garden Design



Feature Tiles - Décor Scurio

Jewell - Smokey

Porcelain Paving

JEWELL

The Jewell range, inspired by the natural splendour of English stone quarried from the heart of the Lake District. The surface of Jewell boasts a subtle textured finish, enhancing its visual appeal. Available in a 600x900mm tile which is ideal for todays contemporary garden designs.

Available in a palette of three refined colours, and an even flat surface, this range offers a sophisticated and timeless choice for those seeking to bring the beauty of the Lake District into their gardens and patios.



Jewell - Ashen



Jewell - Smokey



Jewell - Camel

Width mm	Length mm	Pack Size No. Pieces/Coverage	Number Faces
Tile Thickness 20mm Joint Width 4-6mm			
600	900	48 Pieces/25.92m ²	10



Rectified - Key to symbols see page 7

Jewell - Camel



A touch of flair

Picture a garden showcasing an elevated seating area on a stepped platform, meticulously fashioned by the expertise of a skilled designer. This is not your ordinary seating space; it embodies a seamless fusion of carefully chosen elements, reflecting the designer's extensive experience, distinctive style, and commitment to impeccable design and craftsmanship.

The journey begins with a captivating interplay of textures, involving Buff Brown natural stone cladding, planters crafted with Castle Grey wall cladding, and the Jewell Ashen Grey porcelain paving along the primary walkway. This dynamic fusion establishes the groundwork for a garden that captivates the observer.

The primary walkway guiding towards the seating zone is paved with Jewell Ashen porcelain paving, flanked by Porcelain Edging Strips in Iron Grey, complemented by Castle Grey Natural stone Pathway Setts on either side, introducing both a visual and tactile finesse to the patio area's corners. This configuration offers an engaging sensory experience, appealing to both the sense of sight and touch.

It's this scrupulous attention to detail that transforms a mere seating area into a masterpiece, where each element harmoniously contributes to the overall finished design.

Circles top to bottom: Buff Brown Natural Stone Cladding (Pg76), Castle Grey Natural Stone Cladding (Pg76), Jewell Ashen Porcelain Paving, and Castle Grey Sandstone Setts (Pg82).



Jewell - Ashen



DRONE

Scan QR
Code to view

Porcelain Paving - Jewell

Porcelain Paving

EXQUISITE

Our Exquisite porcelain is a stunning collection of porcelain paving that features a beautiful blend of tones and colours, adding depth and warmth to any outdoor space. The subtle tones and warm hues of these tiles, combined with their lightly textured fossil effect, make them a unique and exquisite choice for any outdoor space.

These tiles are available in a large 600x900mm format and four beautiful colours to choose from, the Exquisite range has proven to be a popular choice among homeowners and designers alike.



Exquisite - Coral



Exquisite - Cocoa



Exquisite - Olive



Exquisite - Silver

Width mm	Length mm	Pack Size No. Pieces/Coverage	Number Faces
Tile Thickness 20mm Joint Width 4-6mm			
600	900	48 Pieces/25.92m ²	8



Rectified - Key to symbols see page 7

Exquisite - Cocoa (with Albero Oak used as a cladding)

SCAN THE
QR CODE

To explore
the range



Edge Finishes

Discover the versatility of our precision-cut and profiled porcelain tiles – where form meets function in perfect harmony.

Choose from a range of finishes to complement your style. Our selection includes bull-nosed, half bull-nose, pencil round, eased profile, mitred, or micro bevel. Using our cutting service ensures you have the precision and quality you need to produce curves and edge profiles you desire.



Say goodbye to the ordinary and embrace the extraordinary, bring the WOW! factor to your project.

For more information speak to your merchant to enquire about bespoke cut tiles and profile edging.



Exquisite - Olive

Porcelain Paving

FOCUS

Our Focus porcelain was one of the first porcelain tiles we introduced, and it was developed with a focus on quality and value.

The range is available in the ever-popular 400 x 800mm format, in five exciting colour-ways with a flat and even, lightly riven surface texture.

Focus porcelain is a versatile and practical choice for anyone looking to enhance their patio. These tiles are not only stylish but also durable, making them a smart investment for any home renovation or remodelling project.



Focus - Crema



Focus - Clay



Focus - Storm



Focus - Brazilian Gold



Focus - Misty Grey

Width mm	Length mm	Pack Size No. Pieces/Coverage	Number Faces
Tile Thickness 20mm ⚙ Joint Width 4-6mm ⚙			
400	800	54 Pieces/17.28m ²	7



Rectified - Key to symbols see page 7

SCAN THE
QR CODE

To explore
the range



Design Tip

To create a visually stunning patio area think about mix and matching different materials, textures and colours. The combination can produce visually engaging and tactile spaces. Mixing natural stone or porcelain with composite decking is one way to achieve this, the distinctive texture of the stone, the smooth porcelain and the grain of the decking combined with colourful lush planting produces exceptional garden spaces.

Composite Prime decking is available from Global Stone stockists in a range of complementary and contrasting colours. See our stockist locator to find your near stockist.



Focus - Brazilian Gold

Porcelain Paving

SERAN

Introducing Seran porcelain, a collection that encapsulates the timeless charm of limestone for your contemporary outdoor spaces.

Crafted to embody the natural beauty of stone without sacrificing durability, these 600x900mm tiles which have a flat, even surface are designed to seamlessly integrate into modern garden and patio designs. With their generously proportioned format, these tiles offer versatility in creating bold and expansive outdoor surfaces. Seran Porcelain Paving not only presents a sophisticated canvas for design expression but also stands as a low-maintenance paving solution.



Seran - Charcoal



Seran - Oatmeal



Seran - Silver

Width mm	Length mm	Pack Size No. Pieces/Coverage	Number Faces
Tile Thickness 20mm Joint Width 4-6mm			
600	900	48 Pieces/25.92m ²	11



Rectified - Key to symbols see page 7

SCAN THE
QR CODE

To explore
the range




We Recommend

Enhance and protect the edges and steps of your porcelain paving with Global Stone's Ultimate Brushed Stainless Steel Trim options, expertly designed for the ultimate finish. Our trims offer a contemporary alternative finish for garden steps. See page 90.



A perfect fusion

The main pathway is paved with Seran Oatmeal porcelain, a contemporary material that harmonises beautifully with the textures and colours of the natural stone setts and cladding. This combination creates a practical design that is visually interesting.



Steps
Station Black
Porcelain



Porcelain
Edging
Strips Black



Castle
Grey Stone
Cladding



Buff Brown
Stone
Cladding



Seran
Oatmeal
Paving



Monsoon
Setts



DRONE

Scan QR
Code to view

Porcelain Paving - Seran

Porcelain Paving

SANDSTONE PORCELAIN

The Sandstone Porcelain effortlessly merges the practical advantages of porcelain paving with the distinct colouring reminiscent of real sandstone. This unique blend firmly establishes it as a stand-out option in our collection. The surface is smooth and flat, lightly riven and rated R11 for slip resistance, ensuring both safety and a sleek appearance.

Available in a mixed size (4 sizes) 14.78m² project pack for more traditional projects or 900x600mm tiles for a more contemporary look.



Sandstone Porcelain - Patina



Sandstone Porcelain - Mercury



Sandstone Porcelain - Willow

NEW

Width mm	Length mm	Pack Size No. Pieces/Coverage		Number Faces
Tile Thickness 20mm  Joint Width 4-6mm  Willow available in single size packs only.				
600	900	48 Pieces/25.92m ²		31
300	300	9	14.78m ² Project Pack	31
300	600	13		31
600	600	13		31
600	900	13		31



Rectified - Key to symbols see page 7

SCAN THE
QR CODE

To explore
the range



We Recommend

The Sandstone Porcelain paving offers practical features such as a uniform texture, high durability, and a surface that's easier to clean and maintain compared to natural stone.

Consider combining it with natural stone cladding and additional paving elements like setts, edgings, and copings to enhance your patio design. Explore matching sandstone accessories in the same colours on page 78 for a complete range.

Also, think about creating contrast by using porcelain and natural stone paving in different areas. Experimenting with various textures and finishes can transform your garden into a visually stunning and tactile delight.

Our example below on Page 13, combines porcelains with natural stone setts and natural stone cladding.



Sandstone Porcelain - Patina

Porcelain Paving

COURTYARD

Our Courtyard porcelain is specifically created to bring all the porcelain benefits with the flexibility and adaptability of a small size format.

Perfect for courtyards, these tiles feature a fine textured, even finish, and come in four colours, making them an ideal choice for smaller focal points in your patio or garden design.



Courtyard - Aran Black



Courtyard - Aran Grey



Courtyard - Texture Grey



Courtyard - Texture Beige

Width mm	Length mm	Pack Size No. Pieces/Coverage	Number Faces
Tile Thickness 20mm Joint Width 4-6mm Tile Dimensions have a tolerance of +/-2mm			
200	200	12 Pieces/0.48m ²	8
200	300	8 Pieces/0.48m ²	8



Rectified - Key to symbols see page 7



Design Tip

Courtyard paving is a versatile addition to any patio, serving as a key-line for colour and texture to delineate separate areas of the garden. It is also ideal as wall copings, providing a finishing touch to those porcelain-clad walls.



RECOMMENDED

Finish your porcelain paving joints with our Ultimate Elite Tile Grout for Porcelain 12.5kg

A highly flexible, polymer modified tile grout for external porcelain paving and porcelain wall cladding. Go to page 93.



Courtyard - Texture Beige

Porcelain Paving

SIENA

Explore the premium Siena porcelain, a contemporary collection that effortlessly lifts any garden design. Among our most sought-after options, this range showcases tiles with finishes ranging from earthy natural stone to metallic.

With a large format 500x1000 tile, a flat lightly riven surface, and a palette of thirteen colours, the Siena porcelain provides a diverse selection to enhance your outdoor space.

Siena - Dover





Siena - Rookstone Paving with an outside kitchen area clad in Quartz Grey



DRONE

Scan QR
Code to view

Porcelain Paving - Siena



Siena - Platinum

Siena Hudson



Porcelain Paving



Siena - Altic



Siena - Beauty



Siena - Dark Stone



Siena - Desert



Siena - Dover



Siena - Gerusalem



Siena - Hematite



Siena - Hudson



Siena - Platinum



Siena - Rook Stone



Siena - Portland



Siena - Lava



Siena - Sahara

Width mm	Length mm	Pack Size No. Pieces/Coverage	Number Faces
Tile Thickness 20mm $\pm$ Joint Width 4-6mm $\pm$ Tile Dimensions have a tolerance of $\pm$ 5mm			
500	1000	42 Pieces/21m ²	12

SCAN THE
QR CODE

How to
Videos



Porcelain Paving

CADRADO

Introducing our Cadrado porcelain tiles, skilfully replicating the lightly textured surface of slate, or terracotta with remarkable precision.

In garden design, square tiles stand out for their timeless versatility. The balanced and symmetrical layout they provide brings order and structure to your outdoor space, creating a visually pleasing and harmonious look for your patio.



Cadrado - Ardesia Silver



Cadrado - Dove Grey



Cadrado - Terracotta

Width mm	Length mm	Pack Size No. Pieces/Coverage	Number Faces
Tile Thickness 20mm $\pm$ Joint Width 4-6mm $\pm$ Tile Dimensions have a tolerance of $\pm$ 3mm			
600	600	64 Pieces/23.04m ²	8




We Recommend

Transform your outdoor space with the addition of our natural stone setts. These versatile elements are not just pathways or edgings; they serve as the foundation for a garden masterpiece.



What sets our natural stone setts apart is the exquisite contrast they create when paired with our porcelain paving. The distinctive texture of the setts harmonises seamlessly with the sleek surface of the porcelain, resulting in a visually striking and aesthetically pleasing effect.

Whether you desire a charming garden path, well-defined borders, or captivating focal points, our natural stone setts are ideal.



Cadrado - Dove Grey

Porcelain Paving

ALPINI

Introducing our Alpini porcelain paving, designed to meet the demand for premium larger format tiles, with a flat and even texture, that capture the natural stone look.

This year, we're excited to introduce the premium Quarzo tiles. Presenting three exquisite body-matched tiles, each crafted with clay that matches the surface colour, finished with a radiant surface sparkle. Beautiful tiles with a quartzitic surface that sparkles beautifully in the sunlight.




Width mm	Length mm	Pack Size No. Pieces/Coverage	Number Faces
Tile Thickness 20mm $\oplus$ Joint Width 4-6mm $\oplus$			
600	900	48 Pieces/25.92m ²	16



We Recommend

Discover the Ultimate stainless steel trims, featuring straight edge and quadrant profiles. The brushed stainless steel is an ideal selection for porcelain paving, safeguarding edges and providing a contemporary finish. The striking contrast between the brushed stainless steel and black porcelain tiles is particularly eye-catching. A beautiful and practical addition, these trims offer a finishing touch to enhance your design.



RECOMMENDED

Finish your porcelain paving joints with our Ultimate Elite Tile Grout for Porcelain 12.5kg

A highly flexible, polymer modified tile grout for external porcelain paving and porcelain wall cladding. Go to page 93.



Alpini - Quarzo Luce

AGNI

Drawing inspiration from the sheer strength of igneous rocks, this remarkable porcelain design is crafted to redefine the ambience of your patio.


Whether you prefer sleek, minimalist lines or intricate contemporary designs, these tiles serve as an ideal canvas, allowing you to bring your modern garden or patio visions to life.

Featuring a lightly grained texture, which adds enhances both the look and feel of your paving.

Porcelain Paving



Agni - Liquorice



Agni - Oyster

Width mm	Length mm	Pack Size No. Pieces/Coverage	Number Faces
Tile Thickness 20mm $\pm$ Joint Width 4-6mm $\pm$ Tile Dimensions have a tolerance of $\pm$ 5mm			
400	800	48 Pieces/15.36m ²	36
600	1200	26 Pieces/18.72m ²	36

DID YOU KNOW

Slurry primer must be used when laying porcelain paving using the wet mortar method. Due to its non porous properties porcelain tiles need the slurry primer to ensure a bond between the tile, mortar and substrate.



Agni - Liquorice & Oyster used together to produce a striking design



Design Tip

Spruce up your outdoor space with a clever touch – transform your paving into stepping stones. Break away from monotonous expanses by incorporating these stepping stones, either surrounded by decorative stones, bark, or nestled into the lush turf. This not only breaks up large paved areas but also connects your main patio to different eye-catching spots in your garden. The mix of materials adds a dynamic visual appeal to your design, making your outdoor haven truly captivating.



Agni - Liquorice

Porcelain Paving

FLORENCE

The Florence porcelain has an aged and weathered limestone natural stone appearance including edges with a tumbled effect.

Suitable for more traditional designs, it also offers an ideal solution for those in period properties who are looking for a low maintenance and easy to clean option, which easily blends into the surroundings.



Florence - Slate



Florence - Thatch

Width mm	Length mm	Pack Size No. Pieces/Coverage	Number Faces
Tile Thickness 20mm Joint Width 4-6mm Tile Dimensions have a tolerance of +/-5mm			
400	800	48 Pieces/15.36m ²	19

Edges with
a tumbled
effect.





Florence - Thatch

Albero - Chestnut

Porcelain Paving

ALBERO

Our Albero porcelain is a stunning collection of wood effect tiles that features a lightly textured grain, ridges and knots, offering an incredibly realistic look that mimics the beauty of real wood. These tiles are a practical choice for a decking area, combining the timeless beauty of wood with the durability and low maintenance of porcelain.

The premium porcelain Albero porcelain is so realistic that running your hands over it feels like touching real wood, rather than just a printed wood effect tile. This range has taken the trend of indoor wooden flooring and moved it outside, creating a unique and stylish outdoor space.

Opting for Albero porcelain paving instead of real wood decking has its perks. It doesn't get slippery in bad weather, and there's no risk of rot when exposed to the elements.



Albero - Chestnut



Albero - Oak



Albero - Silvered

Width mm	Length mm	Pack Size No. Pieces/Coverage	Number Faces
Tile Thickness 20mm Joint Width 4-6mm			
300	1200	48 Pieces/17.28m ²	8



Rectified - Key to symbols see page 49

Albero - Oak

SCAN THE
QR CODE

To explore
the range




We Recommend

Enhance the beauty of your garden with a custom-made garden seat crafted from materials matching your outdoor space. This seat isn't merely practical; with a modest investment of time and thoughtful consideration, it adds a touch of elegance.



Picture a seat seamlessly blending into your garden, harmonising with its surroundings. Well-designed garden seats become integral elements in your landscape. They transcend mere seating; instead, they emerge as focal points that encapsulate the essence of your garden design. Allow your garden seat to display the careful integration of elements, offering a durable and visually stunning addition to your outdoor retreat.



Castle Grey
Natural Stone
Cladding



Rustic Slate
Natural Stone
Cladding



Albero Oak
Porcelain



Gardenstone
in Raj Blend



DRONE

Scan QR
Code to view

Porcelain Paving - Albero



GRANDE

Introducing Grande porcelain, a striking addition to our porcelain collection that is sure to impress. These large format tiles have a polished concrete effect, with a geometric pattern option available. Available in a 1000 x 1000mm format, this range comes in three stunning colours and a geometric design tile that perfectly embody contemporary design.

Grande porcelain is a true statement piece, with its impressive size and eye-catching design. These porcelain tiles have a "wow" factor that is sure to create a huge impact in any space. The Grande range is perfect for those who appreciate contemporary design.



Grande - Putty & Modella

Porcelain Paving



Grande - Modella



Grande - Cinder



Grande - Pepper



Grande - Putty

Width mm	Length mm	Pack Size No. Pieces/Coverage
Tile Thickness 20mm Joint Width 4-6mm		
1000	1000	1 Pieces/1m ²
Modella Feature Tiles		
500	1000	1 Pieces/0.5m ²
1000	1000	1 Pieces/1m ²



Rectified - Key to symbols see page 7





Grande - Putty & Modella

Porcelain Edgings Iron as part of a tactile walkway

Porcelain White Edgings as a planter sides, surrounded by White Setts

PORCELAIN FINISHING TOUCHES

Explore our attractive range of porcelain finishing accessories crafted to enhance your outdoor space. Our diverse collection includes copings, setts, steps, edgings, and cladding – offering everything required to refine your paving project. Effortlessly combine and coordinate these accessories throughout the entire porcelain range to add the perfect finishing touch to your garden design. Whether your project is large or small, we have the perfect accessories to add those final details that bring your vision to life. Beautify, protect, and enhance your outdoor area with our versatile porcelain finishing accessories.

SCAN THE
QR CODE

To explore
the range





Porcelain Setts Iron as a key-line in Station White Paving

Porcelain Step/Coping & Edgings in Iron

SCAN THE
QR CODE



How to
Videos



Finishing Touches Range

PORCELAIN ACCESSORIES

Add a design flourish to your garden with our porcelain accessories! Whether you're edging your patio, framing a pathway, adorning your steps, or creating a beautiful garden, our high-quality porcelain materials have you covered. Achieve a seamless and stylish look for your patio or garden effortlessly.



Edging Strip - Black

Coping/Step - Black

Setts - Black

Edging Strip - Iron

Coping/Step - Iron

Setts - Iron

Edging Strip - White

Coping/Step - White

Setts - White

Edging Strip

Coping/Step - with 40mm
Downstand

Setts

Width mm	Length mm	Pack Size No. Pcs/m ²
Thickness 20mm		
140	900	4/0.504m ²

Width mm	Length mm
Thickness 20mm	
350	600

Width mm	Length mm	Pack Size No. Pcs/m ²
Thickness 20mm		
100	200	24/0.48m ²

Porcelain Iron - the perfect way to finish a step





Edging Strip
Iron -used as a
wall coping



Edging Strip
White - used to
create a planter



Coping/Step
in White



Edging Strip
Iron -used as a
tactile walkway

Quartz Grey Cladding

Porcelain Cladding

PORCELAIN CLADDING

Our Porcelain Cladding Range is ideal for external or internal use and great for a wide range of applications. Easy and quick to use, it is the low maintenance option. So, if you want to tidy up an old wall, create beautiful planters or even tidy up the side of your garage then our porcelain cladding range could be what you are looking for.

Global Stone Porcelain Cladding comes in a range of nine styles/colours to suit every type of landscape.

Quartz Grey Cladding

SCAN THE
QR CODE

To explore
the range





Quartz Iron Cladding

Porcelain Cladding



Amber



Silver



Charcoal



Chrome



Zinc



Lady Grey



Graphite



Pebble

Width mm	Height mm	Pack Size No. Pcs/m ²
Thickness 9mm Joint 2-3mm		
385	75	34/0.98m ²

Width mm	Height mm	Pack Size No. Pcs/m ²
Thickness 8-12mm Joint 2-3mm		
380	75	26/0.74m ²





Quartz Grey



Quartz Iron



Quartz Gold

Width mm	Height mm	Pack Size No. Pcs/m ²
Thickness 10-12mm  Joint 2-3mm 		
400	160	15/0.96m ²



Quartz Grey Cladding



DRONE

Scan QR
Code to view

Porcelain Cladding

The beauty, durability and individuality of **NATURAL STONE PAVING, WALLING & CLADDING**

Natural stone is renowned for its natural beauty and unique character. Each piece of natural stone has its own distinct colour, pattern and texture, creating a visually appealing and organic look.

Our Natural Stone Collection is the perfect blend of distinctive style, affordability, and durability. Whether you are looking to enhance the look of your patio, garden, or pool area, our natural stone collection has something for everyone.

Calibrated Thickness

Calibrated stone achieves a more uniform thickness through a mechanical process, ensuring it does not exceed the specified dimensions.

Durability

Natural stone products are durable and work well in gardens, pathways, and patios with regular foot traffic, lasting for many years. Some options can be used for domestic driveways, provided they're laid on a suitable base. Look for the  symbol and consult your landscaper for further details.

The Beauty of Natural Stone

Each piece of natural stone is unique, with a variety of colours, natural tones and veining. No two pieces are alike, that is the beauty of natural stone.

We can enhance the beauty of the natural stone by processing it in a variety of different ways giving it a more contemporary or traditional feel for those modern garden designs or those country garden retreats.



Driveway Setts - Buff Brown



BULL-NOSED

This process can be made by both machine and hand, making the edge of the product rounded, perfect for steps and pool edgings.




HONED

A honed finish is achieved by using an abrasive to bring out the reflection of the stone creating a stunning smooth surface.



SAWN EDGE

A sawn edge is achieved by using a machine to saw the side of the paving, thus creating a smooth, straight edge.



SHOT-BLASTED

The product is honed first, then peppered with shots (small beads of steel), fired at a high velocity with compressed air to achieve a stippled surface.



NATURAL

Stone is split along the natural lines. The edges of products are hand-cut using a chisel or hammer giving it its natural look. This results in surfaces that are riven and undulating in texture.



TUMBLER

Stone is tumbled in a machine (similar to a cement mixer) which gives the product a smooth surface with edges that have a natural aged look.

Silver Green Slate

Natural Stone Paving

OLD RECTORY PAVING

The Old Rectory paving range offers a time-worn, weathered look reminiscent of Yorkstone paving, bringing an old-world charm to any traditional garden setting. Our skilled artisans meticulously hand-cut the paving stones before they are tumbled, resulting in a beautifully aged, natural finish.

Specially created to give a mature appearance, this sandstone paving is perfect on its own or can be creatively mixed with our wider range of cobbles or walling. Ideal for classic and traditional garden designs, the Old Rectory sandstone paving collection offers timeless elegance to any garden.



Monsoon

York Green

Width mm	Length mm	Pack Size No. Pieces/Coverage	
Thickness Approx. 22mm  Joint Width 10-15mm  Size are nominal, with a tolerance of +/-3mm			
285	285	15	13.65m ² Project Pack
285	570	15	
570	570	13	
570	855	12	

✚ Natural ◻ Tumbled - See page 49 for more details

SCAN THE
QR CODE

To explore
the range



Creative Design

Our collection of natural stone paving and accessories provides limitless opportunities for designing captivating paved areas that surpass their intended function. Witness the remarkable transformation of paving using our Old Rectory Walling in Monsoon, expertly laid as a driveway entrance (utilising an appropriate base). The robust and enduring nature of the stone walling blocks, coupled with the appealing Monsoon colour, adds a flawless accent to the overall garden design.

The adaptability of our products goes beyond traditional limits, enabling you to fashion paved and walled spaces in a multitude of creative ways.



Old Rectory York Green

Natural Stone Paving

OLD RECTORY COBBLES

Explore the rustic charm of our Old Rectory Cobbles collection, which provides an authentic, weathered appearance, perfect for crafting timeless cobbled walkways and paved spaces and can also be used for driveway applications. When used alongside Old Rectory Paving, this duo imparts a classic ambience to your garden sanctuary.



Monsoon



York Green

Width mm	Length mm	Pack Size No. Pieces/Coverage	
Thickness Approx. 30mm  Joint Width 10-15mm  Size are nominal, with a tolerance of +/-3mm			
200	150	41	10.71m ² Project Pack
200	200	57	
200	300	38	
300	400	41	

Suitable for Driveways

Natural Tumbled - See page 49 for more details



Finish & Protect

Enhance the charm of your classic patio by incorporating Old Rectory Walling, bringing a timeless touch to your garden. The tumbled edges of the paving, walling, cobbles, and coping, when seamlessly combined, evoke the picturesque ambiance of a traditional country garden.

For added protection and a polished finish, utilise Old Rectory Copings on Old Rectory Walling. These copings not only complement the walling but also harmonise beautifully with traditional clay brick walls.

Old Rectory Wall - York Green



Old Rectory Coping - York Green



Old Rectory Cobbles York Green

PREMIUM SANDSTONE PAVING

Premium Sandstone Paving is a high-quality material that is carefully hand-selected, hand-cut, and has a calibrated 22mm thickness. It is our most popular natural stone range due to its variety of colours and sizes. The paving has a gently riven texture and unique natural variation in tones and veining due to its hand-picked and hand-cut pieces, resulting in a beautiful blend of colours and tones.

Our Premium range of colours are selected to give an even range of colours and veining in a pack. Premium *Select* colours are further sorted to ensure you have a consistent colour range within the pack.

There are nine beautiful colours, see overleaf for colour swatches.

Width mm	Length mm	Pack Size No. Pieces/Coverage	
Calibrated Thickness 22mm*  Joint Width 10-15mm  Sizes are nominal, with a tolerance of +/-3mm			
Single Size Packs* Available in; Castle Grey, Country Buff, Country Green, Buff Brown, Mint, Modak Rose & York Green			
300	300	85 Pieces/7.15m ²	
300	600	85 Pieces/14.79m ²	
600	600	40 Pieces/14.4m ²	
600	900	28 Pieces/15.2m ²	
300	300	9	15.3m ² Project Pack Available in all Colours
300	600	13	
600	600	13	
600	900	13	

PRO TIP

Project packs include four different sizes, and when laid, they create a random and visually appealing effect. A simple method to verify correct installation of a random pattern is to check for the absence of cross joints – if four corners meet then you will need to adjust the slab layout. Dry lay slabs wherever possible to ensure correct laying pattern before cementing in place.



We Recommend

When designing your property, steps serve both functional and aesthetic purposes. While a conventional approach involves using the same paving slabs as the main paving area for the stair treads, there are alternative options to consider.

Our Hollowed Sandstone Steps (see below) — a single, easily installed unit that offers traditional beauty, durability and toughness for your steps.

For a more contemporary look, explore our bull-nosed or square cut steps, finished with an even stippled texture, providing a more modern touch.

Remember, using the same paving as your main paved area is just one of several options for creating stylish and functional steps in your garden. Go to page 78 for the full range.



Natural Stone Paving

The Beauty of Natural Stone

The Premium Sandstone Paving range has nine colours. Each piece of sandstone is unique, with a variety of colours, natural tones and veining. No two pieces are alike, that is the beauty of natural stone.



Premium - Castle Grey



Premium - Country Buff



Premium *Select* - Buff Brown



Premium - Country Green



Premium - Mint



Premium *Select* - Monsoon



Premium - Modak Rose

Premium *Select*

Premium *Select* colours are further sorted to ensure you have a consistent colour range within the pack.



Premium *Select* - Ravenna



Premium *Select* - York Green



Natural - See page 49 for more details



Design Tip

Natural stone paving, combined with sandstone setts and cobbles, provides a harmonious blend of textures and colours, creating a visually rich and dynamic environment.

The innate textures of natural stone paving, ranging from even to rugged surfaces, add depth and tactile interest, enticing individuals to engage with the outdoor space on a sensory level.



Sandstone setts, with their distinct colours and texture, serve as accents, defining pathways and delineating areas within the garden.

This combination not only enhances the aesthetic appeal but also fosters a balanced and cohesive design, where each element contributes to the overall visual and sensory experience of the garden.



Premium Sandstone Castle Grey

Natural Stone Paving

FUSION PREMIUM
STONE PAVING

Our Premium Sandstone Fusion paving celebrates the distinctive character and one-of-a-kind colours while infusing a touch of contemporary style. It retains the traditional riven surface for that timeless charm but features straight-cut edges, offering a more modern and crisp appearance. This combination provides a unique blend of classic and contemporary, making it an ideal choice for those seeking a fresh, updated look in their outdoor spaces.



NEW



Fusion Castle Grey



NEW



Fusion Country Buff



NEW



Fusion Country Green

Width mm	Length mm	Pack Size No. Pieces/Coverage	
Thickness 22mm  Joint Width 10-15mm  Size are nominal, with a tolerance of +/-3-5mm			
600	900	28 Pieces/15.12m ²	
300	300	9	15.3m ² Project Pack
300	600	13	
600	600	13	
600	900	13	



Natural



Sawn Edge

See page 49 for more details

SCAN THE
QR CODETo explore
the range

We Recommend


Enhance your patio or pathway edges, create feature areas with clay pavers. The red and golden tones beautifully contrast and complement the natural stone paving.



Clay Pavers Mellow Blend

RECOMMENDED

Ultimate Universal Paving Joint Compound - A ready-to-use, self-setting paving joint compound that offers an excellent finish between paving tiles/slabs. Go to page 92 for details.



Castle Grey
Natural Stone
Cladding



Rustic Slate
Natural Stone
Cladding



Fusion
Castle Grey
Paving



Serenity
Allendale
Coping

Natural Stone Paving

ARTISAN SERENITY PAVING

Introducing our Artisan Serenity Paving, characterised by its fine textured finish and precision-cut edges, making it an ideal choice for modern gardens. This sandstone collection beautifully highlights the inherent beauty and durability of sandstone, enhanced by its slip-resistant surface. The series includes a large-format single-size pack measuring 900x600mm, as well as 200x100mm Artisan Serenity Setts, perfect for borders and edgings.

Explore creative possibilities by mixing and matching with other collections, allowing you to create chic designs with contrasting textures and colours.



Allendale Grey



Dunmore Cream



Allendale Grey Sett



Dunmore Cream Sett

Width mm	Length mm	Pack Size No. Pieces/Coverage
Thickness 20mm Joint Width 5-10mm Size are nominal, with a tolerance of +/-3/5mm		
600	900	30 Pieces/16.2m ²
200	100	500 Pieces/5m ²



Sawn Edge



Shotblasted

See page 49 for more details

Allendale Grey

SCAN THE
QR CODE

To explore
the range



Mix & Match Textures

Explore the diverse possibilities of our sawn-edge sandstone paving, meticulously crafted to offer three unique finishes that cater to various design preferences. The first option, Fusion, features a natural riven surface, providing a traditional appearance.

The Artisan Serenity finish is distinguished by its textured surface, while opting for the Artisan Mirage finish introduces a smooth and sleek surface.

Mixing and matching textures can lend a more organic look, help define areas and pathways, offer a varied tactile experience when walking, and create a dynamic and engaging surface that captures attention, making the paved area more visually appealing.



Dunmore Cream

Natural Stone Paving

ARTISAN MIRAGE
PAVING

The Artisan Mirage paving range boasts a honed smooth finish and straight-cut edges. Its muted colours and sleek texture make it perfect for both indoor and outdoor use. This sandstone paving has been featured in numerous award-winning Show Gardens and is highly popular with garden designers and homeowners alike.

One of the unique features of the Artisan Mirage sandstone paving is the way it darkens and shimmers when wet, creating a mirage-like illusion that transforms the landscape.

For a contrasting texture, the Artisan Mirage paving pairs perfectly with our Artisan Serenity setts.



Castle Grey



Mint

Width mm	Length mm	Pack Size No. Pieces/Coverage	
Thickness 20mm  Joint Width 5-10mm  Size are nominal, with a tolerance of +/-3-5mm			
600	900	30 Pieces/16.2m ²	
300	300	9	15.3m ² Project Pack
300	600	13	
600	600	13	
600	900	13	



Sawn Edge



Honed

See page 49 for more details

SCAN THE
QR CODETo explore
the range

We Recommend

Mirage paving with its even sawn edge and flat surface can be used with our Ultimate Brushed Stainless Steel Trims. Choose from a straight edge or quadrant profile and give those edges and steps that perfect finishing touch!

Go to page 90 for full details of the Ultimate Brushed Stainless Steel Trim Range.



RECOMMENDED

Ultimate Universal Paving Joint Compound - A ready-to-use, self-setting paving joint compound that offers an excellent finish between paving tiles/slabs. Go to page 92 for details.



Natural Stone - Artisan Mirage Paving


Premium Circle Buff Brown 2.8m

Natural Stone Paving

PREMIUM SANDSTONE CIRCLES

Incorporating a circular design into a garden paving or patio area can impart a sense of unity and purpose to the space. The circular layout naturally draws the eye and invites people to gather around, fostering a sociable atmosphere. As a focal point, the circular paving or patio area becomes a versatile hub for various garden activities, from outdoor dining to quiet moments of reflection, enhancing both the visual appeal and functionality of the outdoor space.

There are five colours available in the range and the circles are available in three sizes 1800mm, 2800mm and 3600mm (3600mm circle made up of 2800mm circle and 3600mm extension pack).




Diameter mm	No. of Rings	Pieces In Ring
Thickness 22mm  Joint Width 10-15mm 		
1800	2	1/8/8
2800	3	1/8/8/16
3600	4	1/8/8/16/16

Premium Circle Mint 2.8m with Mint Setts



Design Tips

Add a design flourish to your circle with our sandstone setts. Setts add visual interest but also seamlessly connect various sections of your patio, contributing to a cohesive and well-balanced patio design.



Mint Circle & Setts

Turn your circle into a focal point by seamlessly incorporating Old Rectory Walling, effortlessly crafting a stylish and comfortable seating area.



York Green Walling & Circle



Premium Circle York Green 2.8m



Gardenstone Charred Oak

Natural Stone Paving

GARDENSTONE

The Gardenstone paving and walling collection has been created with a focus on providing both exceptional quality and value. Our Gardenstone paving is crafted with an 18mm calibrated thickness and is expertly hand-cut, available in seven beautiful blended colours that will introduce warm tones and textures to any garden design, whether contemporary or traditional.

For today's garden spaces, our Gardenstone paving is available in a project pack that includes four different sizes of paving stones, providing a versatile and convenient solution for your outdoor area.

To complete the Gardenstone paving and walling collection, we also offer a hand-cut walling option in a complementary blended colour, which pairs perfectly with all of our paving choices. See page 74 for details.



Gardenstone Raj Blend





Gardenstone Raj Blend

SCAN THE
QR CODE

How to
Videos



Natural Stone Paving



Autumn Brown*



Pure Grey*



Limestone Charred Oak



Raj Blend*



Raj Blend Tumbled




Sunset Buff*



Willow Blend

Width mm	Length mm	Pack Size No. Pieces/Coverage	
Calibrated Thickness 18mm*  Joint Width 10-15mm  Sizes are nominal, with a tolerance of +/-3mm			
Single Size Packs* Available in; Autumn Brown, Raj Blend, Pure Grey, Sunset Buff.			
290	600	96 Pieces/16.7m ²	
600	600	50 Pieces/18m ²	
600	900	28 Pieces/15.12m ²	
290	290	16	19.52m ² Project Pack Available in all Colours
290	600	18	
600	600	15	
600	900	16	
Limestone Charred Oak is not calibrated			



Natural



Tumbled




Sawn Edge

See page 49 for more details

SCAN THE
QR CODETo explore
the range

We Recommend

Create neat and defined edges between the lawn and other garden elements we recommend our hand-cut edgings to go with the Gardenstone range. Go to page 81 for details.



York Green Edging

RECOMMENDED

Ultimate Universal Paving Joint Compound - A ready-to-use, self-setting paving joint compound that offers an excellent finish between paving tiles/slabs. Go to page 92 for details.



SCAN THE
QR CODE

How to
Videos



Gardenstone Willow Blend

Natural Stone Paving

SLATE PAVING


Our slate collection offers the perfect combination of functionality, durability and natural textured finish, making it a great choice for both modern and traditional designs. Our slate paving slabs are ideal for indoor and outdoor living spaces and it can have a striking impact in courtyards.

Due to its hardness, slate is great in our typically rainy British weather. Slate paving is extremely resilient due to its non-porous characteristics, it prevents algae from forming. Therefore, slate paving is a natural stone with a lower need for maintenance.

Our slate range is hand cut with a riven, undulating surface texture and sawn straight edges.



Carbon



Silver Green

Width mm	Length mm	Pack Size No. Pieces/Coverage	
Thickness Approx. 20mm  Joint Width 10mm  Size are nominal, with a tolerance of +/-3mm			
600	600	40 Pieces/14.4m²	
600	900	28 Pieces/15.12m²	
300	300	9	15.3m² Project Pack
300	600	13	
600	600	13	
600	900	13	

 Natural  Sawn Edge See page 49 for more details

SCAN THE
QR CODE

To explore
the range



Slate Cladding to Match

Carbon Slate and Rustic Slate cladding available to complement the slate paving. Ideal for feature walls and planters. Go to page 77 for details.



SCAN THE
QR CODE

How to
Videos



Natural Stone Paving

LIMESTONE PAVING


Our limestone paving is a versatile option that complements both modern and classic gardens. Limestone paving has been a preferred choice among garden designers for many years. It boasts exceptional visual appeal with its natural patterns in a variety of breathtaking shades and textures. Additionally, it is exceptionally resilient, ensuring that your outdoor space remains stunning for many years to come.

Our limestone paving slabs are characterised by their density, close-grained structure, and exceptional moisture resistance, making them well-suited for use in shady and damp areas.

Our limestone paving is available in four magnificent colours, with the midnight limestone weathering to a soft grey patina over time.



Honey Blend



Imperial Blue



Midnight



Cathedral



Natural



Tumbled



Sawn Edge



Brushed

Key to icons see page 49

Width mm	Length mm	Pack Size No. Pieces/Coverage	
Thickness Approx. 22mm  Joint Width 10-15mm  Size are nominal, with a tolerance of +/-3mm			
600	600	Midnight - 40 Pieces/14.4m²	
600	900	Midnight - 28 Pieces/15.12m²	
300	300	9	15.3m² Project Pack
300	600	13	
600	600	13	
600	900	13	



We Recommend

Use setts as pathway edges or to define areas within a paving scheme. The Granite setts below contrast beautifully with the black limestone and the Castle Grey natural stone paving. See page 82.



Cathedral Limestone Setts with
Castle Grey Mirage Paving



Granite Setts, Black Limestone
& Fusion Castle Grey Paving



Limestone Midnight

SCAN THE
QR CODE

How to
Videos



Natural Stone Walling

NATURAL STONE WALLING

A wall can be both a pleasing and practical addition to your garden. By making it an integral part of your design, you can use it to create separate spaces, borders and flower beds, enabling you to define and tailor your garden to all your needs.

Our walling can be laid using just a single size to create a simple classic stone wall or try combining the different sizes to create a distinctive feature wall, planter or edging. Add a finishing coping stone which not only looks attractive but also protects the walling below.



Old Rectory Walling - York Green



Old Rectory Walling - Monsoon



Natural



Tumbled

Key to icons see page 49



Gardenstone Walling - Mixed Colour Pack



Old Rectory Coping/Step
280x560mm - York Green



Old Rectory Coping
140x560mm - York Green



Old Rectory Walling - Hand-cut and then tumbled to give an aged finish.

Length mm	Depth mm	Pack Size No. Pieces/Coverage
Thickness 55-75mm $\pm$ Joint Width 10-15mm $\pm$ Sizes are nominal, with a tolerance of +/-3mm		
215	100	280 Pieces/4.5m ²
325	100	185 Pieces/4.5m ²

Gardenstone Walling - A hand-cut walling, available in a mixed colour pack.

Length mm	Depth mm	Pack Size No. Pieces/Coverage
Thickness 55-75mm $\pm$ Joint Width 10-15mm $\pm$ Size are nominal, with a tolerance of +/-3mm		
215	100	94
270	100	74
325	100	60

4.5m²
Project Pack

TOP
TIP

Use the Old Rectory coping on page 81 to complete the look and protect the integrity of your finished wall.



Old Rectory Walling York Green

SCAN THE
QR CODE

How to
Videos



Natural Stone Cladding

NATURAL STONE
CLADDING

Introducing our natural stone cladding, a fantastic choice to enrich any garden walling design. Whether you're looking to infuse character into a feature wall or enhance the look of a water feature or planter, our diverse cladding options are designed to leave a lasting impression.

Easy to install, these cladding solutions effortlessly rejuvenate tired looking walls, creating vibrant new focal points that stand the test of time.



Buff Brown Sandstone



Castle Grey Sandstone



Carbon Slate



Rustic Slate

Width mm	Length mm	Pack Size No. Pieces/Coverage
Thickness 10-30mm Joint Width 2-3mm Size are nominal, with a tolerance of +/-3mm		
150	600	6 Pieces/ 0.54m ²
The thickness of the product is a guide measurement only as the product is made from split pieces of stone.		



Natural - See page 49 for more details

SCAN THE
QR CODE

To explore
the range



Design Tip

Transforming tired walls into stunning structures is effortlessly achieved with Natural Stone Cladding. This versatile cladding not only revitalises old walls but also adds that "wow" factor to planters and retaining walls, creating captivating feature walls that become focal points in your garden.

Natural Stone Cladding pairs seamlessly with stone paving, setts, and complements porcelain paving beautifully. The interplay of contrasting colours not only enhances visual appeal but also provides a delightful tactile experience with its varied textures.



Rustic Slate Cladding

SCAN THE
QR CODE

How to
Videos



Serenity Bull-nose Step/Coping - Buff Brown

Hand-cut Edging - York Green

NATURAL STONE FINISHING TOUCHES

Introducing our stunning collection of natural stone finishing touches - the perfect complement to enhance your outdoor space. A comprehensive range including copings, steps, stepping stones, edgings, pathway and driveway setts. The perfect way to finish your paving project. The versatility of our accessories allows for easy mixing and matching with porcelain paving, infusing the stunning colours and tactile feel of natural stone into your porcelain paving. No matter the scale or nature of your project, we have the perfect accessories to add the finishing touches that transform your vision into a reality. Beautify, protect, and enhance.

SCAN THE
QR CODE

To explore
the range



Serenity Bull-nose Step/Coping - Buff Brown

Pathway Setts - Midnight

Hollow Hand-cut Steps - Castle Grey

SCAN THE
QR CODE

How to
Videos



NATURAL STONE STEPS, COPINGS, EDGINGS

Every project needs finishing touches to complete the desired look. We have a variety of accessories that match our natural stone paving ranges. These final finishing touches add to your overall design and give that finished feel to your project.

Natural Stone Paving



Hand-cut Hollowed Step -
Buff Brown 350x1000x150mm



Serenity Bull-nose Step/Coping
350x1000x40mm - Allendale Grey



Hand-cut Hollowed Step -
Castle Grey 350x1000x150mm



Serenity Bull-nose Step/Coping
350x1000x40mm - Dunmore Cream



Serenity Bull-nose Step/Coping
450x600x32mm - Buff Brown



Serenity Bull-nose Step/Coping
350x1000x40mm - Buff Brown



Natural



Sawn Edges



Bull-nosed



Tumbled



Shotblasted

Key to icons see page 49

Hand-cut Hollowed Steps - Castle Grey

SCAN THE
QR CODE

To explore
the range





Serenity Square Edge Coping
140x600mm - Allendale Grey



Serenity Square Edge Coping
140x600mm - Dunmore Cream



Old Rectory Coping
140x560mm - York Green



Stepping Stone 450mm
- Buff Brown



Serenity Square Edge Coping/
Step - Allendale Grey



Serenity Square Edge Coping/
Step - Dunmore Cream



Old Rectory Coping/Step
280x560mm - York Green



Stepping Stone 450mm
- York Green



Hand-cut
Edging - Mint



Hand-cut Edging
- York Green

Product	Width mm	Length mm	Thickness mm	No. Pieces Per Pack
Sizes stated are the actual sizes with a tolerance of +/-3mm				
Hand-cut Hollowed Steps	350	1000	150	6
Serenity Bull-nosed Coping/Step	350	1000	40	12
Serenity Bull-nosed Coping/Step	450	600	32	35
Serenity Square Edge Coping	140	600	40	30
Serenity Square Edge Coping/Step	280	600	40	30
Old Rectory Edging	140	560	40	60
Old Rectory Coping/Step	280	560	40	30
Stepping Stone	450	450	22	50
Hand-cut Edging	140	560	25-40	100

Serenity Bull-nose Steps Buff Brown

Natural Stone Paving

PATHWAY SETTS

The natural stone pathway setts we offer are a versatile option that can enhance the beauty of both contemporary and traditional settings. Natural stone paving has been a preferred choice among garden designers for many years, owing to its unique colours and natural texture.

In smaller garden spaces, the use of smaller setts can be more proportionate and visually pleasing than larger paving stones. They allow for a more detailed and intricate design without overwhelming the space. Ideal for pathways and edgings, these setts help define focal points and provide a tactile finish where you want to introduce variety into your paving scheme.

 Limestone Setts


Cathedral Limestone




Honey Blend Limestone

 Sandstone Setts


Mint



Mint



Monsoon



Modak Rose



York Green



Country Buff



Mixed Colour



Mixed Colour

 Natural
  Tumbled
 Key to icons see page 49



We Recommend

Natural stone setts are an ideal way to edge a lawn or pathway. A practical, durable edging, and pleasing to the eye.



Pathway Setts York Green

Width mm	Length mm	Pack Size No. Pieces/Coverage
Thickness 25-40mm ✚ Joint Width 10-15mm ✚ Sizes are nominal, with a tolerance of +/-5mm		
Cathedral, Honey Blend, Mint, Modak Rose, Monsoon & York Green		
150	150	Approx 500/11.25m ²
Mint & Country Buff		
100	200	530/10.6m ²
Sandstone Mixed Coloured		
140	140	Approx 800/15.68m ²
140	280	Approx 400/15.68m ²



Pathway Setts - Mint

SCAN THE
QR CODE

How to
Videos



Natural Stone Paving

DRIVEWAY SETTS


A skillfully laid pathway or driveway can serve as a stunning visual focal point that entices visitors towards your home, garden, or focal point.

Our driveway setts are highly versatile and come in a range of colours and thicknesses, making it easy to create elegant curves, charming features, and intricate designs. These setts are also perfect for finishing the edges of patios or adding character to small courtyards.

Driveway Setts are durable and can withstand heavy foot traffic, making them suitable for pathways, patios, light vehicular traffic and other high traffic areas.



Limestone Cathedral



Limestone Honey Blend



Limestone Midnight



Sandstone Buff Brown



Sandstone Castle Grey



Sandstone Country Buff



Sandstone Mint



Silver Grey Granite



Natural



Tumbled



Suitable for Driveways Key to icons see page 49

SCAN THE
QR CODE

To explore
the range



We Recommend

For pathways subject to heavy foot traffic, driveway sets provide a durable and beautiful solution. Laid on a suitable base they can be used for driveways for light vehicle traffic.



Width mm	Length mm	Thickness mm	Pack Size No. Pcs/Coverage
Joint Width 10-15mm 			
Sizes are nominal, with a tolerance of +/-10mm			
Sandstone & Limestone Driveway Setts			
100	100	50 	approx 800/8m ²
Granite Setts			
100	100	50 	approx 715/7.12m ²
100	100	100 	approx 360/3.6m ²
100	200	50 	approx 360/7.2m ²



Driveway Setts - Silver Granite

SCAN THE
QR CODE

How to
Videos




Natural Stone Paving

CLAY PAVERS

Our assortment of clay pavers is ideal for courtyard settings, allowing the creation of circles and smaller focal areas within larger patio areas. Additionally, it effortlessly imparts an elegant and timeless charm to more compact spaces. Clay pavers serve well as borders for lawns and flower beds, making it a favoured choice among both gardeners and landscape designers for its versatility in application.

Please be aware that we don't recommend using Clay Pavers for driveways.



Cherry Blend



Mellow Blend



Rose Cottage



Rustic Flame



Tudor

Width mm	Length mm	Pack Size No. Pieces/Coverage
Thickness 50mm Joint Width 2-15mm Sizes are nominal, with a tolerance of +/-3mm		
100	210	720/15.12m ²
Mellow Blend available in pack size below		
100	210	800/16.8m ²



Clay Pavers are made from natural materials. These pavers do vary in colour. Images shown are as a guide only.

SCAN THE
QR CODE

To explore
the range



Design Options

Basket Weave -
Can be visually appealing, It gives a neat and organised look.



Border Edging -
Ideal way to delineate pathways and borders.



Herringbone -
visually striking, offers a high level of interlock.



Half bond - Gives a clean and contemporary look.



PRO TIP

Apply slurry primer to clay pavers to increase the bonding between the paver and wet mortar bed. Slurry primer helps prevent the appearance of efflorescence. Go to page 93.



Clay Pavers - Cherry Blend

SCAN THE
QR CODE

How to
Videos



Natural Stone Paving

BLOCK PAVERS

If you're searching for a paving option that offers enhanced durability and toughness, explore our collection of natural stone block pavers.

Our 50mm thick natural stone block pavers are ideal for courtyards, patios, and driveways (using a suitable base, consult your landscaper for more information).


This resilient and sturdy option features sawn cut edges, a naturally textured surface, and has been tumbled to create an aged effect.



Limestone - Honey Blend



Limestone - Midnight



Limestone - Cathedral



Sandstone - Buff Brown



Sandstone - Castle Grey

Width mm	Length mm	Pack Size No. Pcs/Coverage	
Thickness 50mm 			
Joint Width 2-3mm 			
Sizes are nominal, with a tolerance of +/- 2-3mm			
120	160	26	7.08m ² Project Pack
160	160	80	
160	240	118	

Natural Sawn Edges Suitable for Driveways

Tumbled Key to icons see page 49 for more details





Block Pavers - Sandstone Buff Brown

ULTIMATE STAINLESS STEEL TRIMS

Global Stone presents a variety of Brushed Stainless Steel Trim options to finish and safeguard porcelain edges and steps. These trims not only provide protection but also add a stylish design finish.

Brushed stainless steel is chosen for its durability and corrosion resistance, making it the perfect material to ensure the longevity and appearance of your porcelain features.

- High resistance to chemical and atmospheric agents
- Ideal for External Applications
- 22.5mm depth design for 20mm thick paving
- Brushed Stainless Steel in 304 or 316 Grade
- Formable option for curved edges

Square Edge Profile



Quadrant Edge Profile



Ultimate Universal Trim used vertically



Ultimate Universal Trim
Brushed Stainless Steel
Grade 304 Square Edge
2.5m Length
UUBSG225 - 10/Pack



Ultimate Universal Trim
Brushed Stainless Steel
Grade 304 Square Edge
Corner
UUBSGC225 - 10/Pack



Ultimate Universal
Form-able Trim Brushed
Stainless Steel Grade 304
Square Edge 2.5m Length
UUBSGF225 - 10/Pack



Ultimate Elite Trim
Brushed Stainless Steel
Grade 316 Quadrant
2.5m Length
UEBSGQ225 - 10/Pack



Ultimate Elite Trim
Brushed Stainless Steel
Grade 316 Quadrant
Corner
UEBSGQC225- 6/Pack



When you need to close
off an exposed end
- Ultimate Elite Trim
Brushed Stainless Steel
Grade 316 Quadrant
End Cap
UEBSGQE225 - 6/pack



Ultimate Elite Quadrant Trim

ULTIMATE

Ultimate Finishing Range


Ultimate Universal Paving Joint Compound 12.5kg

A ready-to-use, self-setting paving joint compound that offers an excellent bond between paving tiles/slabs.

- Brush & Wash In - All Joints Filled
- Strong & Long-lasting
- Quick & Easy Application
- Application in All Weather Conditions
- Weed & Plant Resistant
- Crack & Shrink Resistant



Available in three colours:
Buff Grey Black



SCAN THE
QR CODE

To explore
the range



Ultimate Elite Tile Grout for Porcelain 12.5kg

A highly flexible, polymer modified tile grout for external porcelain paving and porcelain wall cladding

- Easy to mix and apply
- 3-10mm joint widths
- Efflorescence Free

Available in three colours:

Cream

Mid Grey

Black



Coverage Calculator

Based on 20mm slabs with 5mm joint.

600 x 600mm approx. 20m²/bucket

600 x 900mm approx. 23m²/bucket

600 x 1200mm approx. 27m²/bucket

Ultimate Universal Slurry Primer 20kg

An easy to use, polymer enhanced cementitious primer for all types of external Porcelain & Natural Stone

- Exceeds the requirements of BS 7533-101:2021
- Creates an exceptional bond between bedding and all types of paving
- Easy to mix and apply
- Brush applied
- Long working time, 2-3 Hours
- Coverage Approx. 20m² per 20kg Bag



SCAN THE
QR CODE

How to
Videos



Composite Decking



HD Deck is the UK's premium range of Composite Decking available in three product types, each with market leading features, 14 unique colour profiles and matching accessories.

The HD Deck range is made from 95% recycled material, is independently tested and comes with up to a 25-year product warranty.

All of our Composite Decking range comes with colour matched accessories including a bull-nose edge board, a 150mm fascia trim board and fixing clips.



HD DECK® **DUAL**
A Composite Prime Product

- Dual Sided Colour Profile
- Protective Capped Outer Layer
- Four Board Colour Combinations
- Stain Resistant and Easy Clean

HD Deck Dual Colour Options:



Length mm	Width mm	Thickness mm	Pack Size
3600	143	22.5	140



HD DECK® **3D+**
A Composite Prime Product

- Performance Hybrid Capping
- Deep Woodgrain Embossing
- True Grain Colour System
- Two Unique Woodgrains

HD Deck 3D+ Colour Options:



Length mm	Width mm	Thickness mm	Pack Size
3600	146	25	140






- Reversible Board Profile
- Consistent Single Colour
- Modern Colour Tones

HD Deck X Colour Options:



Length mm	Width mm	Thickness mm	Pack Size
3600	138	23	140



PRO TIP

Protect your timber joists with HD Protect.

HD Protect is a self-adhesive tape designed to protect the top of the timber joist from moisture that can lead to rot and loosening of screws.

Standard Roll:
63mm x 20m

Extra wide Roll:
118mm x 20m



HD Deck Dual Slate



Composite Cladding

HD CLAD[®] PRO

A Composite Prime Product

HD Clad Pro provides a low maintenance, durable alternative to traditional timber cladding that is available in a range of natural colours. The invisible clip fixings and trims allow for an uncomplicated installation which will transform the exterior of residential and commercial properties alike.

The HD Clad Pro system offers a range of complementary trims to complete your cladding project.



- Protective Capped Outer Layer
- Outperforms Traditional Timber
- Unique Woodgrain Profile
- Commercial and Residential Use
- Will not Warp, Bend or Splinter
- Matching Trims and Accessories

HD Clad Pro Colour Options:

Carbon	Cedar Grey	Cedar Brown	Slate

Length mm	Width mm	Thickness mm	Pack Size
3600	136	22	140

HD Clad Pro Accessories:





Thank You

to the following for their valuable input into the 2024 Brochure

Archley Landscape Solutions

Hartley Botanics (Pg26)

Highfields Nursery

Kate Marshall
Landscape Design
(Pg2,25,26,47)

MJT Landscapes Ltd
& Ingrid Leene
Garden Design (pg77)

Native Landscapes Ltd
(Pg68,75,82)

Owen Thomas Garden
Landscape Ltd (Pg12)

Pebble Landscapes

Peter Cowell Designs
(Pg17)

Robert Boast
Landscapes (pg87)

Portrait Landscapes
(pg51)

And all the customers
that allowed us to
photograph their
gardens.

Helpful Information

When selecting your Global Stone, it is important to remember that the colours of the product will be enhanced when wet. Some products will have a dramatic spectrum of colours, particularly our granite and sandstone ranges, so even when it's raining outside your patio will look beautiful. As porcelain has a minimal porosity rating, the colour of the product when wet won't change dramatically, however porcelain does reflect light differently when wet therefore colours may appear slightly different.



Each piece of natural stone and porcelain should be inspected prior to laying as pieces will vary. No returns can be accepted once the product is installed.

Always check the suitability of ANY cleaning solution with the manufacturer prior to use. Failure to do so may result in permanent damage to the product. Acidic cleaners or brick acid should never be used on natural stone products as they will damage the stone.

Please view our full terms and conditions on our website for more information at www.globalstonepaving.co.uk

For How To Videos, Installation Guide, Trouble Shooting Guide Scan the QR Codes Below.

9 Guidelines for Success



View as large an area of your chosen paving as possible before purchasing to ensure you are happy with your choice.



Always lay paving on a full bed of mortar and never use the spot bed method – see our step by step laying guides for more advice on this.




Inspect your product to make sure you are completely happy before you lay. We advise that dry laying products before laying them permanently is the ideal way to do this.



Only use appropriate products for driveways – Speak to your contractor as to the suitability of the product for driveways.



Always mix packs whilst laying to achieve an overall blended appearance.



Never butt joint paving when laying you should always use an appropriate joint for your chosen product. Global Stone natural stone products should be laid with a minimum 10-15mm joint, porcelain joints 4-6mm.



Always use a neat SBR bonding agent or our Ultimate Slurry Primer on the back of natural stone, and for porcelain you must use a slurry primer on the back of porcelain paving.



Never use brick acid or acidic cleaning products on natural stone or porcelain. Always check that cleaning products are suitable for use.



For full installation guides and How to Videos please visit our website www.globalstonepaving.co.uk or scan the QR Codes below.

SCAN THE
QR CODE

For the How
to Videos



SCAN THE
QR CODE

Maintenance &
Laying Guide



SCAN THE
QR CODE

Maintenance &
Trouble
Shooting Guide





Take the Site
Virtual Tour

Terms & Conditions

Full copy of our terms and conditions is available online at www.globalstonepaving.co.uk.

PRODUCT DIMENSIONS

As these are natural products, all dimensions are nominal and are subject to cutting tolerances in both size and thickness. The product sizes and coverage stated are those achieved when laid using appropriate joint width for the given product. To ensure adequate coverage and account for potential cuts and breakages, it is recommended that you purchase an additional 5% of paving products when ordering.

PACK SIZES

Some products may be subject to a minimum order, some products are only available in Project Packs. Please check pack sizes and availability with your local stockist.

COLOURS AND SURFACE TEXTURE

The colours shown throughout this brochure are as accurate as the photographic and printing processes allow. Prior to ordering, products should always be inspected and chosen in daylight. Colour and tonal variations will occur in natural products, no sorting of crates will be undertaken. When using several packs, flags should be blended

throughout the project to produce an overall natural appearance. Ensure you purchase your requirements in one purchase as you can then mix together all the paving from all the crates. Dark products like Charred Oak and Midnight will lighten as a result of weathering which is normal for these products. We kindly request that you review the paving products prior to installation as we will not be able to accept liability for any issues once they have been laid. For porcelain paving check porcelain batch numbers match before laying.

Get Rewarded with Global Rewards Club

We're giving you the landscape contractor, builder, garden designer the chance to earn fantastic rewards after purchasing Global Stone products.

Global Rewards Club - the platform where we are giving back to you. As a valued landscaper, you'll now have the opportunity to earn points effortlessly by purchasing qualifying products and simply uploading your invoices to our brand new Global Rewards Club. You'll be able to exchange these points for a variety of exciting rewards – we've ensured that there is something for everyone to enjoy!

Scan here for
more information



**GLOBAL
REWARDS
CLUB**

GLOBAL STONE
LANDSCAPING SUPPLIES

digbystone
Part of the Global Stone Group

SCAN THE
QR CODE



About Us

SCAN THE
QR CODE



Ethical
Trading

SCAN THE
QR CODE



Terms &
Conditions

SCAN THE
QR CODE



Stockist
Locator

Inspired by Nature, Crafted by Global Stone

*Scan here for
more information*



GLOBAL
REWARDS
CLUB

GLOBAL STONE
LANDSCAPING SUPPLIES

digbystone 
part of the GLOBAL STONE group

GLOBAL STONE
LANDSCAPING SUPPLIES

www.globalstonepaving.co.uk